50 Years

FAMAVAL

50 Years

Famaval, S.A.
Rua Comendador Adelino A. Tavares
265 3730-342 Vale de Cambra
Portugal

Tel. +351 256 410 610
Fax. +351 256 423 682
E-mail: geral@famaval.pt
www.famaval.pt
GPS - Latitude: 40°51`06``N; Longitude: 8°24`28``W

MANAGEMENT SYSTEM TÜVRheinland NP EN ISO 50001

MANAGEMENT SYSTEM TÜVRheinland ISO 9001

THE RIGHT CHOICE!

Low Cost - Plastic Mount

PPT BD Model

- Total Diameter - 67,8 x 62,8 cm
- Gain at 12,75 GHz - 36,56dB
- Elevation - 0º - 90º
- Material - Galvanized Steel
- Fixation Diameter - 24-40 mm

New Model

- Total Diameter - 67,8 x 62,8 cm
- Gain at 12,75 GHz - 36,56 dB
- Elevation - 0º - 90º
- Material - Galvanized Steel
- Fixation Diameter - 25-50 mm

MET BD Model

Low Cost - Steel Mount

- Total Diameter - 84,7 x 78,2 cm
- Gain at 12,75 GHz - 38,51 dB
- Elevation - 0º - 90º
- Material - Galvanized Steel
- Fixation Diameter - 32-50 mm

ECO-T BD Model

CLICK *C* BD Model

New - Retractable Arm

- Total Diameter - 84,7 x 78,2 cm
- Gain at 12,75 GHz - 38,51 dB
- Elevation - 5º - 80º
- Material - Galvanized Steel
- Fixation Diameter - 30-60 mm

FAMAVAL

Note: We can make these models in diferent sizes - Please consult us.

For DTH Operators - Quick Assembly

- Total Diameter - 67,8 x 62,8 cm
- Gain at 12,75 GHz - 36,56 dB
- Elevation - 0º - 90º
- Material - Galvanized Steel
- Fixation Diameter - 41,5 mm

LH-AL BD Model

Top Quality - Retractable Arm

- Total Diameter - 119 x 110 cm
- Gain at 12,75 GHz - 41,2 dB
- Elevation - 10º - 50º
- Material - Galvanized Steel
- Fixation Diameter - 35-60 mm

TRX EL Model

FAMAVAL

Note: We can make these models in diferent sizes - Please consult us.